



Operation & Maintenance Manual

Showerscreens & Mirrors

- Glass should be cleaned with warm soapy water and a soft cloth, rinsed off with clean water and then dried off with a dry cloth or squeegee.
- Don't use abrasive cloths, steel wool, bleach, blades or any sharp object to clean surfaces.
- Glass coated with a water repelling easy clean coating like nano-clear can be damaged by most cleaning chemicals. Cleaning with warm soapy water and a soft cloth will ensure that the coating remains effective for up to 10 years.
- Aluminium frames can also be cleaned with warm soapy water, avoid using abrasive cloths. Harsh chemicals in some cleaning products can cause discoloration and damage to the aluminium's surface.
- Showerscreens should be cleaned at least weekly to prevent the buildup of soap stains which can damage the glass surface over time.
- Mirrors can be cleaned using a glass cleaning spray and a soft cloth
- Frameless shower hardware should be checked every six months to ensure that the screws are tight. Check gaps between panels to ensure adequate clearance.

Wardrobes

- Keep wardrobe door sill tracks clear of dust and debris to ensure doors can be moved freely.
- Wardrobe shelving should be wiped down with a damp non-abrasive cloth. Ensure that shelves are dry afterwards

- Aluminium frames can also be cleaned with warm soapy water, avoid using abrasive cloths. Harsh chemicals in some cleaning products can cause discoloration and damage to the aluminium's surface.
- Don't use abrasive cloths, steel wool, bleach, blades or any sharp object to clean surfaces.
- Care should be taken not to overload wardrobe shelving which can result in bowing of the shelves.

Warranty Details

Manufacturer's warranty

- Wardrobes – 5 years
- Linen Cupboards – 5 years
- Showerscreens – 5 years
- Mirrors – 1 year

Installation Warranty

- Wardrobes – 2 years
- Linen Cupboard – 2 years
- Showerscreens – 1 year
- Mirrors – 1 year

All products with glass and mirror components have been manufactured and installed to comply with AS1288 (Glass in buildings – Selection and Installation), including human impact requirements as specified.