

Common Areas	ITEM	DESCRIPTION
and Building Finishes	EXTERNAL WALLS	Reinforced concrete / glazing / precast / block and render to Architect's detailed design
	FLOORS	Reinforced concrete suspended slab
	LANDSCAPING	To Landscape Architect's detailed design
	CORRIDORS AND LOBBIES	Floor finish, wall finish, lighting and features to Architect's detailed design.
	LIFTS	Lifts servicing all floors and basements as shown on plans
	LETTER BOXES	1x lockable letterbox per apartment
	FIRE SERVICES	Common areas and car parking levels as required by Building Code of Australia (NCC)
		Fire sprinklers to NCC requirements. Detection system to residential apartments comprising smoke alarms in apartments, and sound alert system as required by NCC
Access Control	ITEM	DESCRIPTION
	ACOUSTIC	Apartment acoustics to Queensland Development Code (QDC) requirements.
	ACCESS CONTROL	Access control system including programmable proximity reader for floor by floor lift control, vehicle entry and exit to car park
	VISITOR ACCESS	Voice intercom to unit
	KEYS	Each apartment will be provided with 2x keys for apartment front door
	WIRELESS GARAGE ENTRY/EXIT	Each apartment will be provided with a proximity fob controller per car park for entry to the car park
General	ITEM	DESCRIPTION
	ACOUSTIC	To NCC requirements
	THERMAL / ENERGY EFFICIENCY	To NCC requirements







EXTERNAL WALLS	Paint	or	render	and	paint	finish	to
	i anii	0.	ionaci	ana	panit	11111011	

Architect's detailed design

INTERNAL DOORS Hollow-core doors within the apartment; or

to NCC requirements.

INTERNAL CUPBOARD

DOORS

Melamine to architects detailed design

CEILING FINISH Suspended plasterboard, paint finish

WINDOWS/EXTERNAL Aluminium framed window

SLIDING DOORS

Aluminium framed window and sliding

door sections

ACCESS CONTROL Intercom handset providing access control

from main entry to apartment, location to

Architect's detailed design

CAR PARKING Refer contract for sale.

APARTMENT AIR CONDITIONING

2 Bedroom Units: Ducted reverse cycle air conditioning system to living room and

bedrooms. Condenser located in service

area.

3 Bedroom Units: Ducted reverse cycle air conditioning system to living room and bedrooms. Condenser located in service

area.

Balcony	ITEM	DESCRIPTION
	LIGHTING	Surface mounted light fitting to Architect's detailed design
	FLOOR	Tiles
	CEILING	Applied textured paint finish
	POWER	1x Outdoor double GPO per apartment
	BALUSTRADES	To NCC requirements and Architect's detailed design, which may include concrete up-stand with applied paint finish, framed or frameless glass, metalwork balustrade



ITEM

LIGHTING



DESCRIPTION

Lighting to NCC requirements

Architect's detailed design

Entry

and



	SCHEDULE OF INCLUSIONS		
	FLOOR	Tiles & Carpet Refer plan and Purchaser's Selections	
	MASTER LIGHT SWITCH	A master light switch at apartment entry.	
Living Room	ITEM	DESCRIPTION	
	LIGHTING	Lighting to NCC requirements and to Architect's detailed design	
	FLOOR	Carpet Refer Purchaser's Selections	
	POWER	3x double GPOs	
	TV	Free to Air and Pay TV outlet See Communications and Data Services, below, for further details	
Dining Room	ITEM	DESCRIPTION	
	LIGHTING	Lighting to NCC requirements and to Architect's detailed design	
	FLOOR	Carpet Refer Purchaser's Selections	
	POWER	1x double GPO	
Kitchen	ITEM	DESCRIPTION	
	LIGHTING	Lighting to NCC requirements and to Architect's detailed design	
	FLOOR	Tiles Refer Purchaser's Selections	
	POWER	2x double GPOs; 1x single GPO for refrigerator	
		Power to appliances as required	
	TELEPHONE	1x Telephone point	
	BENCHTOP	Reconstituted stone benchtop to architects detailed design	
		Refer Purchaser's Selections	
	SPLASH BACK	Tiles	
		Refer Purchaser's Selections	
	JOINERY DOORS	Soft close laminate to Architect's detailed	





design



Refer Purchaser's Selections

JOINERY DRAWERS Soft close laminate to Architect's detailed

design

JOINERY CARCASS Melamine - water resistant board

JOINERY HANDLES -CUPBOARDS / DRAWERS

Finger pull to Architect's detailed design

TAPWARE

Parisi Elli gooseneck sink mixer; and or equal

WELS 6 Star, 4.5L/minute, Registration

Number: T21630



SINK Franke Stainless steel sink; and or equal

2 Bedroom Units: Single Bowl sink

3 Bedroom Units: Double Bowl sink

OVEN Fisher Paykel OB60SC5LCX1 60cm Multi-

Function Oven; and or equal









COOKTOP

Fisher Paykel CE604DTB1 60cm 4-zone touch control electric cooktop; and or equal



RANGE HOOD

Fisher Paykel HP60ICSX2 Under cupboard range hood; and or equal



DISHWASHER

Fisher Paykel fully integrated dishwasher; and or equal

WELS 6 Star, 4.5L/minute, Registration

Laundry	ITEM	DESCRIPTION
•	LIGHTING	Lighting to NCC requirements and Architect's detailed design
	FLOOR	Tiles Refer Purchaser's Selections
	POWER	1x double GPO
	WALLS	Plaster board/paint finish/skirting tile
	LAUNDRY SINK TAPWARE	Sink mixer





Number: T21951





SINK Single bowl laundry tub and cabinet

SPLASHBACK Tiles

DRYER Haier HDY-M60 dryer; or equal



HOT + COLD WASHING Provided and connected to washing

MACHINE COCKS machine

MECHANICAL VENTILATION To NCC requirements

LAUNDRY DOORS Joinery doors to Architect's detailed

design

Main Bedroom ITEM DESCRIPTION

LIGHTING Lighting to NCC requirements and to

Architect's detailed design

FLOOR Carpet

Refer Purchaser's Selections

POWER 3x double GPO

TV Free to Air and Pay TV outlet

See Communications and Data

Services, below for further details

WALK-IN WARDROBE Detailed wardrobe fit out to Architect's where shown on plan detailed design including shelves and

adjustable hanging rails







WARDROBE

where shown on plan

Detailed wardrobe fit out to Architect's detailed design including shelves, adjustable hanging rails and sliding robe doors (mirror)

Ensuite			ITEM	DESCRIPTION
(where	shown	on	LIGHTING	Lighting to NCC requirements and to Architect's detailed design
plan)		FLOOR	Tiles Refer Purchaser's Selections	
			POWER	1x double GPO per vanity basin
			WALLS	Ceramic tiles and plasterboard to architects detailed design
			VANITY CABINET	Laminate with Melamine Carcass to Architect's detailed design - Refer Purchaser's Selections
			SHAVING CABINET	Shaving Cabinet with mirrored doors to architects detailed design
			TOILET SUITE	Parisi Linfa wall faced rimless soft close toilet suite; and or equal
				WELS 4 Star, 4.5L/minute Full Flush and 3L/minute Half Flush, Registration Number: L04810



VANITY BASIN

Parisi Aline 500 Inset Basin; and or equal









VANITY TAPSET

Parisi Quasar basin mixer; and or equal

WELS 6 Star, 4L/minute, Registration

Number: T21625



SHOWER MIXER

Parisi Quasar Shower Mixer; and or equal



SHOWER ROSE

Parisi Blade shower rail with hand shower;

and or equal

WELS 3 Star, 9L/minute, Registration

Number: S09205



TOILET ROLL HOLDER

This list is indicative only and is subject to Variations and substitutions in accordance with the Contract Terms

Toilet roll holder





Version: 19 December 2017

MBIC Pty Ltd Page 8 of 14



HAND TOWEL RAIL Hand Towel rail

TOWEL RAILS Towel rail x2

SHOWER SHELF Shower shelf

SHOWER SCREEN Semi-frameless to Architect's detailed

design

MECHANICAL VENTILATION To NCC requirements

BATH Bath, mixer and spout to Architect's

3 Bedroom units only - where detailed design

shown on plan

Bedrooms 2 &	ITEM	DESCRIPTION
3	LIGHTING	Lighting to NCC requirements and to Architect's detailed design
(Where shown on	POWER	2x double GPO
plan)	FLOOR	Carpet Refer Purchaser's Selections
	TV	Free to Air and Pay TV outlet
		See Communications and Data Services, below, for further details
	WARDROBE	Detailed wardrobe fit out to Architect's detailed design including shelves, hanging rails and robe doors
Bathroom	ITEM	DESCRIPTION
Bathroom	LIGHTING	DESCRIPTION Lighting to NCC requirements and to Architect's detailed design
Bathroom		Lighting to NCC requirements and to
Bathroom	LIGHTING	Lighting to NCC requirements and to Architect's detailed design
Bathroom	LIGHTING	Lighting to NCC requirements and to Architect's detailed design 1x double GPO Tiles
Bathroom	LIGHTING POWER FLOOR	Lighting to NCC requirements and to Architect's detailed design 1x double GPO Tiles Refer Purchaser's Selections Ceramic tiles and plasterboard to
Bathroom	LIGHTING POWER FLOOR WALLS	Lighting to NCC requirements and to Architect's detailed design 1x double GPO Tiles Refer Purchaser's Selections Ceramic tiles and plasterboard to architects detailed design Laminate with Melamine Carcass to Architect's detailed design - Refer







TOILET SUITE

Parisi Linfa wall faced rimless soft close

toilet suite; and or equal



VANITY BASIN

Parisi Aline 500 Inset Basin; and or equal



VANITY TAPSET

Parisi Quasar wall mixer; and or equal



SHOWER MIXER

Parisi Quasar Shower Mixer; and or equal



SHOWER ROSE

Parisi Blade shower rail with hand shower; and or equal





Version: 19 December 2017

MBIC Pty Ltd Page 10 of





TOILET ROLL HOLDER Toilet roll holder

HAND TOWEL RAIL Towel rail

TOWEL RAILS Towel rail x2

SHOWER SHELF Shower shelf

SHOWER SCREEN Semi-frameless to Architect's detailed

design

MECHANICAL VENTILATION To NCC requirements

Communications and Data Services

IIEW	DESCRIPTION		
HIGH SPEED INTERNET	High Speed internet will be provided to the apartment		
TELEPHONE	The building will be provided with a telephone backbone suitable for each apartment to have 2x exchange lines.		
DIGITAL TV	Pre-wire and connection to Free-to-air TV channels in rooms specified		
PAY TV	Installation in building of infrastructure		

DECCRIPTION

enabling connection to Pay TV services.

Pre-wire for Pay TV to each apartment in





Version: 19 December 2017

14

MBIC Pty Ltd Page 11 of



rooms specified.

Future subscription and final connection to Pay TV services by Purchaser.

Installation of additional system controls and/or cabling within the apartment may be required to suit Purchaser's or service provider's requirements. Provision of cabling per this inclusions list does not guarantee access to any particular Pay TV service.

Pool Area	& BBQ	ITEM	DESCRIPTION
		LIGHTING	Lighting to NCC requirements and to
		POWER	2 x Outdoor D-GPO to Architects detailed
			Design
		WALLS	Reinforced concrete (off-form and painted finish) / glazing / aluminium/ aluminium composite panel / block and render / stone cladding and other finishes to Architect's detailed design
		FLOOR	Tiles and Composite Timber to architects detailed design
		BBQ & BENCH	BBQ to architects detailed design including: • 1 x Sink, • 2 x Built-in electric BBQs,
		FURNITURE	 Furniture to architects detailed design including: 1 x outdoor tables and bench seats. 2 x outdoor coffee tables & chairs. 6 x Sun Lounges.
Gymn (Level	asium I 2)	ITEM	DESCRIPTION
		LIGHTING	Lighting to NCC requirements and to Architect's detailed design





Version: 19 December 2017

14

MBIC Pty Ltd Page 12 of



POWER To electrical exercise equipment as

required

WALLS Internal - plasterboard / paint finish and

feature mirrors to Architect's detailed

design

FLOOR Carpet to Architect's detailed design

EQUIPMENT Gymnasium equipment including:

> 2 x Healthstream Treadmill; and or equal

2x Healthstream Upright Bike; and or equal

1 x Concept 2 Rowing machines;

and or equal

1 x Dumbell set; and or equal

1 x Bench; and or equal

4 x Yoga / Stretch Mats; and or

equal.

Purchasers Selections

ITEM

DESCRIPTION

COLOUR **SELECTIONS** **SCHEME**

There are two colour schemes:

Scheme A (Atlantic); and

Scheme B (Bondi).

NATURAL MATERIALS

Purchasers are advised that the finishes proposed for use in the apartments include natural materials such as granite, marble, limestone, reconstituted stone products, and timber. Natural materials may display characteristics which vary from the samples shown on the display colour boards due to the intrinsic nature of such

naturally occurring materials.

LIGHT, GPO'S, BATHROOM **ACCESSORIES**

Light fittings, GPO's, intercom system, free-to-air TV and Pay TV outlets, telecommunication outlets and bathroom accessories are subject to detailed architectural design.





Version: 19 December 2017

MBIC Pty Ltd Page 13 of



Minor variations in location and quantities of these items may occur following detailed architectural design.

PRODUCT SUBSTITUTION

The Seller reserves the right to substitute any specified inclusions with that of a similar quality.



