RAPID LED

TECHNICAL DATA SHEET

SANDBAR - TYPE T1 - L1 LOBBY

CASUARINA-3

ADJUSTABLE COB TRIPLE SLOTTER LED DOWNLIGHT

R1068

- 6w / 9w / 12w / 15w
- 3000k / 4000k
- ~~White Trim~~ BLACK TRIM
- Flicker Free Driver

LINE DRAWINGS



RAPID LED

TECHNICAL DATA SHEET

PRODUCT SPECIFICATIONS

Wattage	6W / 9W / 12W / 15W
Colour Temperature	3000K - WW, 4000K - CW
Lumen Output	3 x 6W : 500 - 520Lm 3 x 9W : 700 - 720Lm 3 x 12W : 900 - 960Lm 3 x 15W : 1,300 - 1,350Lm
Lumen Output / W	75 - 95Lm / W
CRI	>90
Beam Angle°	24°, 60°
Fixture Colour	White
IP Rating	IP20
IC4 Rated	Yes
Dimmable	Yes
LED Type	CREE 1507 COB LED
SDCM	<3
LM80	L70 >54,000Hrs
Power Supply	Remote Class II Flicker Free Driver
Power Factor	0.90
Voltage	220 - 240V AC

Frequency	50 - 60Hz
Working Temperature	-20°C ~+ 40°C
Cutout	275mm x 95mm
Product Dimensions	6w / 9w / 12w : 290mm (L) x 110mm (W) x 74.5mm (H) 15w : 290mm (L) x 110mm (W) x 97.5mm (H)
Product Materials	Housing : Powder Coated Die-Cast Aluminium Optics : PC Glass Diffuser
Fitting Protection Classification	Class II
Options Available	DALI / DSI Dimming
Indent Options	6W / 9W / 15W With 24° Beam Angle
Mounting	Recessed
Warranty	5 Years (2 Years Replacement & Labour / 3 Years Replacement Only)
Standards	AS/NZS 60598.1 AS/NZS 60598.2.2 AS/NZS 61347.1 AS/NZS 61347.2.13 AS CISPR 15